

An oXygen framework for handling large documents

WStarcev -> animotron.org/q
ZAO MCFR Moscow

problems

Big documents.

- 50Mb - 100Mb - ...
- Open -> Validate -> Render -> XSD Validate
- ...

like a skeleton document

- + little document source
- + fast rendering and validation
- + no problems with document navigation

keep in oXygen only some screens of
document

initial document structure

```
<document>
  <text>
    ....
    <part ref="[hash]">
      <part ref="[hash]">
        <part ref="[hash]">
          </part>
        </part>
      </text>
    </document>
```

after scroll to first part

```
<document>
  <text>
    ....
    <part hash="[hash]">
      ....
      <part ref="[hash]">
        ....
        <part ref="[hash]">
          </part>
        ....
        </part>
      </text>
    </document>
```

AppMain File Edit Find Project Options Tools Author Document Window Help Чт, 7 февр. 16:07:11 ■ Василий Старцев Q

document:70083216.xml [exist://db/documents/document70083216.xml] - со8:open/> XML Editor

Карточка материала Понят Понят 2 Open Document Load doc in cache Вход

О О Структура документа

Постановление Правительства

document5661890.xml * document70083216.xml *

```
1576     <название>"Изменения, которые вносятся в акты Правительства Российской Федерации по вопросам функционировани
1577     <заголовок>Изменения, которые вносятся в акты Правительства Российской Федерации по
1578     вопросам функционирования различных рынков электрической энергии (утв.
1579     <связанная_информация><метка>постановлением</метка><Ссылки>
1580     <ссылка_документ>"70083216" описание="" статус_ссылки="" цель="Документ"/>
1581     </ссылки><связанная_информация> Правительство РФ от 4 мая 2012 г.
1582     № 442</заголовок>
1583     <раздел g_id="3881"
1584         ref="cc7ec7c593aea1c560b0199351875583a3f68c6b8c975a28a953e6b53e02d7502be89db16d4bfe2d94ac51dafa098f"
1585         название="Пункт 1">
1586     <раздел g_id="38811"
1587         ref="788ddbc297814f7d61b8143d9943439a19ebf8a596278a95f7983a612adce3b8164e83de811618a36661157bd5"
1588         название="Подпункт 1">
1589     <раздел g_id="11894"
1590         ref="da4192686be9476a2db97fd06781a288771f1bc713ef8549b6f8735b44974316d595a26738ce0288bfff15"
1591         название="Подпункт 1"/>
1592     </раздел>
1593     <раздел g_id="38812"
1594         ref="4993df183198b68e38a182939a12bc985bc581de3a1517d0b97ee4f400ec488e5f2068f31bf9c07316359f7c1"
1595         название="Подпункт 2">
1596     <раздел g_id="11182"
1597         ref="8455381fba474d72a454f3671956fe94835d45834ee344349e5879ba97132f87cede31bf8ae5e14963fb55"
1598         название="Пункт 18.2"/>
1599     </раздел>
1600     <раздел g_id="38813"
1601         ref="a99463fd82d21d31ffa7bbc7a4c3da714ad3c8873d831ba58a6c8e76379d86e63ce8e586fe488fb1f8edecfc01"
1602         название="Подпункт 3">
1603     <раздел g_id="121118381"
1604         ref="3b8e10eaahfd2f291dc88455699de3679acd1fe9ada4d669cb2dc157458ae72f42136f32c8b6fa92f372811"
1605         название="Подпункт 3.1"/>
1606     </раздел>
1607     <раздел g_id="38814"
1608         ref="ef64ec1a44961c973c9fc52c365c7e79d4179b4c0bb13e251bd4364feafdf23c3aaec3964868313f8cdnech5cb41
```

Data panel


Text End Author

part id key = part hash

```
<part hash="">  
  <node attr="value">Text</node>  
</part>
```

```
@hash = hash( node name + node text + node attrs +  
  hash( child-nodes(node) )  
)
```

architecture



full demo video: <http://youtu.be/jADf5Uhhb04>

WStarcev -> animotron.org/q